


Amendments to the Claims:


This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1. (Original) A compound of formula



or of formula



wherein


W is CH or N,

R₁ is hydroxy, (C₁₋₆)alkoxy, halo(C₁₋₆)alkoxy, hydroxycarbonyl(C₁₋₆)alkoxy or (C₁₋₆)alkoxycarbonyl(C₁₋₆)alkoxy,

R₂ is hydrogen or an ester moiety,

R₃ is hydrogen, (C₁₋₆)alkyl, (C₂₋₆)alkenyl or (C₃₋₈)cycloalkyl,

R₄ is hydrogen or (C₁₋₆)alkyl,



is cyclohexyl or phenyl,

R₅ and R₆ independently of each other are hydrogen; (C₁₋₆)alkyl; (C₂₋₆)alkenyl; (C₆₋₁₈)arylcarbonyl; (C₁₋₆)alkylcarbonyl; (C₆₋₁₈)aryloxy(C₁₋₄)alkylcarbonyl; (C₁₋₆)alkylcarbonyl-(C₆₋₁₈)arylcarbonyl; heterocyclyl(C₁₋₆)alkylcarbonyl, wherein heterocyclyl comprises 5 or 6 ring members and 1 to 4 heteroatoms selected from N, O or S; (C₁₋₆)alkylsulfonyl or (C₆₋₁₈)arylsulfonyl,

X is NH, O, S or N-R₈, wherein R₈ is (C₁₋₆)alkyl or (C₃₋₈)cycloalkyl,

Y is O or S, and

n and m independently of each other are 0 or 1.

Claim 2. (Currently amended) ~~The~~A compound of ~~formula IA or IB~~ claim 1 wherein


W is CH or N,

R₁ is hydroxy, methoxy, fluoromethoxy or (hydroxycarbonyl)(dimethyl)methoxy,

R₂ is hydrogen,

R₃ is hydrogen; (C₁₋₄)alkyl, e.g. methyl or ethyl; allyl or cyclopropyl,

R₄ is hydrogen or (C₁₋₄)alkyl, e.g. methyl,



is cyclohexyl, e.g. and the $-(CH_2)_m-NR_5R_6$ group is in the ortho, meta or para position,

R₅ and R₆ independently of each other are hydrogen; (C₁₋₃)alkyl; allyl;

(C₁₋₄)alkylcarbonyl; phenylcarbonyl, wherein phenyl is optionally substituted by

(C₁₋₄)alkylcarbonyloxy; phenoxymethylcarbonyl; phenylsulfonyl, wherein phenyl is substituted by amino or (C₁₋₄)alkylcarbonylamino, or heterocyclyl comprising 5 ring members and 1 heteroatom selected from N, O or S,

X is NH, NCH₃, NCH(CH₃)₂, O, S or (C₃₋₈)cycloalkyl substituted by amino,

n is 0, m is 0,

Y is S and

R₈ is C₁₋₄)alkyl.


Claim 3. (Currently amended) ~~The~~A compound of ~~formula IA~~ claim 1 wherein in formula IA

W is N or CH,

R₁ is hydroxy or fluoromethoxy,

R₂, R₄, R₅ and R₆ are hydrogen,

R₃ is C₁₋₄)alkyl,



is cyclohexyl,

X is NH,

n is 1 and m is 1.

Claim 4. (Currently amended) ~~The~~A compound of claim 1 ~~formula IA~~ wherein in formula IA


W is N,

R₁ is fluoromethoxy,


R₂, R₄, R₅ and R₆ are hydrogen,

R₃ is C₁₋₄)alkyl,


Claim 11. (New) A process for preparing a compound of formula IA




or a compound of formula IB




said process comprising reacting a compound of formula III



with a compound of formula IVA



or a compound of formula IVB



wherein


W is CH or N,

R₁ is hydroxy, (C₁₋₆)alkoxy, halo(C₁₋₆)alkoxy, hydroxycarbonyl(C₁₋₆)alkoxy or (C₁₋₆)alkoxycarbonyl(C₁₋₆)alkoxy,

R₂ is hydrogen or an ester moiety,

R₃ is hydrogen, (C₁₋₆)alkyl, (C₂₋₆)alkenyl or (C₃₋₈)cycloalkyl,

R₄ is hydrogen or (C₁₋₆)alkyl,



is cyclohexyl or phenyl,

R₅ and R₆ independently of each other are hydrogen; (C₁₋₆)alkyl; (C₂₋₆)alkenyl; (C₆₋₁₈)arylcarbonyl; (C₁₋₆)alkylcarbonyl; (C₆₋₁₈)aryloxy(C₁₋₄)alkylcarbonyl; (C₁₋₆)alkylcarbonyl-(C₆₋₁₈)arylcarbonyl; heterocyclyl(C₁₋₆)alkylcarbonyl, wherein heterocyclyl comprises 5 or 6 ring members and 1 to 4 heteroatoms selected from N, O or S; (C₁₋₆)alkylsulfonyl or (C₆₋₁₈)arylsulfonyl,

X is NH, O, S or N-R₈, wherein R₈ is (C₁₋₆)alkyl or (C₃₋₈)cycloalkyl,

Y is O or S, and

n and m independently of each other are 0 or 1.